







Effective From: 01 January 2020

Code													Tyre Labelling Grade			Sidewall Markings		Full Description			
Description													Roll. Resis	Wet Grip	Noise	M+S	3PMSF				
SAP	EAN	sw	ar	rd	li1	si1	li2	si2	design	Application	Axle										
572190	5452000711588	385	/	65	R	22.5	160	K	158	L	FUELMXSG21	TL	Long Haul	Steer	B	B	70	)	X	X	385/65R22.5 FUELMAX S G2 160K158L 3PSF
572090	5452000705037	385	/	65	R	22.5	164	K	158	L	FUELMAXT	TL	Long Haul	Trailer	A	C	69	)	X		385/65R22.5 FUELMAX T HL 164K158L M+S TL
576224	4038526023384	385	/	65	R	22.5	160	K	158	L	OMNS1	TL	Mixed Service	Steer	C	B	73	)	X	X	385/65R22.5 OMNITRAC S 160K158L 3PSF
565822	5452001090880	385	/	65	R	22.5	160	K	158	L	OMNMST2	TL	Mixed Service	Trailer	C	B	72	)	X		385/65R22.5 OMN MST II 160K158L M+S
568871	5452000539922	385	/	65	R	22.5	160	K	158	L	UGMAXS	TL	Winter	Steer	C	B	73	)	X	X	385/65R22.5 UG MAX S 160K158L 3PSF
573100	5452000743206	385	/	65	R	22.5	164	K	158	L	UGMAXT	TL	Winter	Trailer	C	B	73	)	X	X	385/65R22.5 UG MAX T HL 164K158L 3PSF
570323	5452000577641	425	/	65	R	22.5	165	K			KMAXT	TL	Regional Haul	Trailer	B	B	72	)	X		425/65R22.5 KMAX T 165K M+S
573569	5452000814890	435	/	50	R	22.5	164	J			SSMLHTG315	TL	Long Haul	Trailer	B	C	70	)	X		435/50R22.5 MARATHON LHT 164J M+S
574338	5452000832511	445	/	65	R	22.5	169	K			KMAXT	TL	Regional Haul	Trailer	B	B	72	)	X		445/65R22.5 KMAX T 169K M+S
567180	5452000650573	445	/	65	R	22.5	169	K			OMNMST2	TL	Mixed Service	Trailer	B	B	71	)	X		445/65R22.5 OMN MST II 169K M+S
560126	5452000238436	445	/	75	R	22.5	170	J			OMNMSSG205	TL	Mixed Service	Steer	C	B	71	)	X		445/75R22.5 OMN MSS 170J M+S
573568	5452000814883	455	/	40	R	22.5	160	J			SSMLHT+	TL	Long Haul	Trailer	C	C	72	)	X		455/40R22.5 UN MARATHON LHT+ 160J M+S
570333	5452000577764	455	/	45	R	22.5	166	J			URBAMCDTRA	TL	Municipal	Drive	C	C	73	)	X	X	455/45R22.5 URBAN MCD TRAC 166J 3PSF
560680	5452000764508	495	/	45	R	22.5	169	K			SSMLHDG301	TL	Long Haul	Drive	C	C	72	)	X		495/45R22.5 MARATH LHD 169K M+S
568490	5452000467751	495	/	45	R	22.5	169	K			OMNMDS2	TL	Mixed Service	Drive	C	D	74	)	X		495/45R22.5 OMN MSD II 169K M+S
<b>24</b>																					
572521	5452000725080	325	/	95	R	24	162	G	160		OFFORDG501	TL	Mixed Service	Drive					X		325/95R24 OFFROAD ORD 162/160G M+S
574591	5452000832542	325	/	95	R	24	162	K	160		OMNMSS2	TL	Mixed Service	Steer	C	B	69	)	X		325/95R24 OMN MSS II 162/160K M+S
572804	5452000735508	325	/	95	R	24	162	K	160		OMNMDS2PLU	TL	Mixed Service	Drive	D	B	72	)	X		325/95R24 OMN MSD II PLUS 162/160K M+S