



Michelin Truck New - 01 April 2020

SW	AR	RIM	Load / Speed	Tread Pattern	3PMSF	M+S	Fuel Efficiency	Wet Grip	Noise Class	Noise Level (dB)	Product Guarantee available *	CAI Code
6	100	9	109/108F	XTA			Not Required By Legislation					110234
8.25	100	15	143/141G	XTA			C	B	1	66		110130
9.5	90	17.5	129/127L	XZY			D	C	1	69		109890
9.5	90	17.5	143/141J	XTE2			C	B	1	67		110939
10	90	17.5	134/132L	XZA			D	C	1	66		109481
10	90	22.5	144/142K	XZY			D	B	1	69		110249
11	100	16	135K	XZL			Not Required By Legislation					109142
11	100	20	150/146K	XZL		M+S	Not Required By Legislation					110062
11	90	22.5	148/145J	X INCITY Z	3PMSF	M+S	D	C	1	69		406803
11	90	22.5	148/145K	XZY 3		M+S	D	B	1	69		231590
11	90	22.5	148/145L	X MULTI D	3PMSF	M+S	E	B	2	75	X MULTI	303274
11	90	22.5	148/145L	X MULTI D+			E	C	2	74	X MULTI	256387
11	90	22.5	148/145L	X MULTI Z			D	C	1	68	X MULTI	323213
12	100	20	154/149K	XZL		M+S	Not Required By Legislation					110132
12	100	20	154/150K	XDY		M+S	E	B	2	74		109958
12	100	20	154/150K	XZY-2		M+S	D	B	1	69		110930
12	90	22.5	152/148K	XDY 3		M+S	E	B	1	71		110831
12	90	22.5	152/148K	XZY-2		M+S	D	B	1	69		110811
12	90	22.5	152/149L	X MULTI D	3PMSF	M+S	E	C	1	72	X MULTI	900871
12	90	22.5	152/149L	X MULTI Z			D	B	1	68	X MULTI	522332
13	90	22.5	156/150K	X WORKS D	3PMSF	M+S	C	B	2	74	X WORKS	175857
13	90	22.5	156/150K	X WORKS Z		M+S	C	B	1	69	X WORKS	274977
13	90	22.5	156/151K	X WORKS HD D		M+S	D	B	2	73	X WORKS	134260
13	90	22.5	156/151K	X WORKS HD Z		M+S	D	B	1	69	X WORKS	024128
14	100	20	164/160J	XZL+		M+S	Not Required By Legislation					323281
16	100	20	173G	XZL			Not Required By Legislation					123357
24	100	21	176G	XZL		M+S	Not Required By Legislation					110257
205	75	17.5	124/122M	X MULTI D	3PMSF	M+S	D	C	1	70	X MULTI	766221
205	75	17.5	124/122M	X MULTI Z	3PMSF	M+S	D	B	1	70	X MULTI	812426
205	65	17.5	129/127J	X MAXITRAILER			C	B	1	67		980870
205	65	17.5	132/130J	X MULTI T2		M+S	C	C	1	68	X MULTI	428088
215	75	17.5	126/124M	X MULTI D	3PMSF	M+S	D	C	1	69	X MULTI	346637
215	75	17.5	126/124M	X MULTI Z	3PMSF	M+S	D	B	1	68	X MULTI	188448
215	75	17.5	135/133J	X LINE ENERGY T			B	B	1	68		430603
215	75	17.5	136/134J	X MULTI T2		M+S	C	C	1	68	X MULTI	489407
225	75	17.5	129/127M	X MULTI D	3PMSF	M+S	D	C	1	69	X MULTI	744200
225	75	17.5	129/127M	X MULTI Z	3PMSF	M+S	D	B	1	68	X MULTI	831758
235	75	17.5	132/130M	X MULTI D	3PMSF	M+S	D	C	1	69	X MULTI	200533
235	75	17.5	132/130M	X MULTI Z	3PMSF	M+S	D	B	1	69	X MULTI	541269
235	75	17.5	143/141J	X LINE ENERGY T			B	B	1	68		466076
235	75	17.5	143/141J	X MULTI T2		M+S	C	C	1	68	X MULTI	437825
245	70	17.5	136/134M	X MULTI D	3PMSF	M+S	D	C	1	69	X MULTI	473370
245	70	17.5	136/134M	X MULTI Z	3PMSF	M+S	D	B	1	69	X MULTI	452013
245	70	17.5	143/141J	X LINE ENERGY T			B	B	1	68		365420



Michelin Truck New - 01 April 2020

SW	AR	RIM	Load / Speed	Tread Pattern	3PMSF	M+S	Fuel Efficiency	Wet Grip	Noise Class	Noise Level (dB)	Product Guarantee available *	CAI Code
245	70	17.5	143/141J	X MULTI T2		M+S	C	C	1	68	X MULTI	381955
245	70	19.5	136/134M	X MULTI D	3PMSF	M+S	D	C	1	70	X MULTI	492211
245	70	19.5	136/134M	X MULTI Z	3PMSF	M+S	D	B	1	68	X MULTI	856711
245	70	19.5	141/140J	XTE2			C	B	1	67		470513
255	100	16	126K	XZL		M+S	Not Required By Legislation					110650
255	60	19.5	143/141J	X MAXITRAILER		M+S	C	B	1	67		263466
265	70	17.5	140/138M	X MULTI D	3PMSF	M+S	D	C	1	72	X MULTI	183637
265	70	17.5	140/138M	X MULTI Z	3PMSF	M+S	D	B	1	72	X MULTI	290128
265	70	19.5	140/138M	X MULTI D	3PMSF	M+S	D	C	1	71	X MULTI	302700
265	70	19.5	140/138M	X MULTI Z	3PMSF	M+S	D	B	1	69	X MULTI	953680
265	70	19.5	143/141J	X LINE ENERGY T			B	B	1	68		305041
265	70	19.5	143/141J	XTE2		M+S	D	B	1	68		178616
265	70	19.5	143/141J	XTY2	3PMSF	M+S	D	B	1	70		897096
275	80	20	128K	X FORCE ZL		M+S	Not Required By Legislation					423311
275	80	22.5	149/146L	X MULTI D		M+S	E	C	1	72	X MULTI	551552
275	80	22.5	149/146L	X MULTI Z			D	C	1	69	X MULTI	507853
275	70	22.5	148/145J	X INCITY XZU	3PMSF	M+S	D	B	1	69		886547
275	70	22.5	148/145J	XTY2	3PMSF	M+S	D	B	1	70		025215
275	70	22.5	148/145L	X MULTI D	3PMSF	M+S	D	C	1	72	X MULTI	231405
275	70	22.5	148/145L	X MULTI Z			D	B	1	69	X MULTI	183553
275	70	22.5	148/145L	XDW ICE GRIP	3PMSF	M+S	E	C	1	72		110576
275	70	22.5	150/145J	X INCITY HL Z	3PMSF	M+S	D	C	1	70		163580
275	70	22.5	152/148J	XTA2 ENERGY			C	B	1	69		797139
285	70	19.5	146/144L	X MULTI D	3PMSF	M+S	D	C	1	72	X MULTI	778701
285	70	19.5	146/144L	X MULTI Z	3PMSF	M+S	C	B	1	70	X MULTI	245059
285	70	19.5	150/148J	XTA2 ENERGY			C	B	1	69		203153
285	70	19.5	150/148J	XTE2		M+S	C	B	1	68		452895
295	80	22.5	152/148J	X INCITY XZU 3+	3PMSF	M+S	D	C	1	70		978950
295	80	22.5	152/148K	XDY+		M+S	E	B	2	74	X WORKS	698845
295	80	22.5	152/148L	X MULTIWAY 3D XDE	3PMSF	M+S	D	C	2	75	X MULTI	032054
295	80	22.5	152/148M	X COACH XD	3PMSF	M+S	E	C	1	72		528007
295	80	22.5	152/148M	X MULTIWAY 3D XZE	3PMSF	M+S	C	B	1	72	X MULTI	768950
295	80	22.5	154/149L	X MULTI WINTER Z	3PMSF	M+S	D	B	1	73	X MULTI	211161
295	80	22.5	152/148M	XDA 2+ ENERGY	3PMSF	M+S	D	C	1	73		712725
295	80	22.5	152/148M	XZA2 ENERGY			C	C	1	67		110973
295	80	22.5	152/149K	X WORKS Z		M+S	D	B	1	68	X WORKS	363450
295	80	22.5	152/149L	XDW ICE GRIP	3PMSF	M+S	E	C	1	72		111557
295	80	22.5	154/150M	X COACH Z	3PMSF	M+S	C	B	1	71		856291
295	60	22.5	150/147K	X LINE ENERGY D	3PMSF	M+S	B	B	1	70		714989
295	60	22.5	150/147L	X LINE ENERGY Z		M+S	B	B	1	70		141045
295	60	22.5	150/147L	X MULTI D	3PMSF	M+S	D	C	2	74	X MULTI	183666
305	70	19.5	147/145M	XDE2+		M+S	E	C	2	74		400249
305	70	19.5	147/145M	XZE2+			D	B	1	68		760293
305	70	22.5	152/148L	XDE2+		M+S	E	C	2	74		613656



Michelin Truck New - 01 April 2020

SW	AR	RIM	Load / Speed	Tread Pattern	3PMSF	M+S	Fuel Efficiency	Wet Grip	Noise Class	Noise Level (dB)	Product Guarantee available *	CAI Code
305	70	22.5	152/150L	X MULTI Z	3PMSF	M+S	C	C	1	70	X MULTI	674919
305	70	22.5	153/150J	X INCITY Z	3PMSF	M+S	C	C	1	69		242671
315	80	22.5	156/150G	X FORCE ZH		M+S	Not Required By Legislation					668200
315	80	22.5	156/150K	X WORKS D	3PMSF	M+S	C	B	2	75	X WORKS	909337
315	80	22.5	156/150K	X WORKS HD D		M+S	D	B	2	73	X WORKS	817171
315	80	22.5	156/150K	X WORKS HD Z		M+S	C	B	1	68	X WORKS	818714
315	80	22.5	156/150K	X WORKS Z		M+S	C	B	1	69	X WORKS	762146
315	80	22.5	156/150L	XFN 2+	3PMSF	M+S	D	C	2	72		091633
315	80	22.5	156/150L	X LINE ENERGY D	3PMSF	M+S	B	C	1	69		165338
315	80	22.5	156/150L	X LINE ENERGY Z			B	B	1	69		465757
315	80	22.5	156/150L	X MULTI HD D	3PMSF	M+S	E	C	2	73	X MULTI	258778
315	80	22.5	156/150L	X MULTIWAY 3D XDE	3PMSF	M+S	D	C	2	75	X MULTI	196211
315	80	22.5	156/150L	X MULTIWAY 3D XZE	3PMSF	M+S	C	B	1	72	X MULTI	942658
315	80	22.5	156/150L	XDW ICE GRIP	3PMSF	M+S	E	C	1	72		111548
315	70	22.5	154/150L	X LINE ENERGY D2	3PMSF	M+S	A	B	1	70		495444
315	70	22.5	154/150L	X MULTI HD D	3PMSF	M+S	D	C	1	73	X MULTI	742556
315	70	22.5	154/150L	X MULTI D	3PMSF	M+S	D	C	2	75	X MULTI	889899
315	70	22.5	154/150L	XDW ICE GRIP	3PMSF	M+S	D	C	1	72		059976
315	70	22.5	154L	XFN 2	3PMSF	M+S	D	C	2	72		292701
315	70	22.5	156/150L	X LINE ENERGY Z			B	B	1	69		952734
315	70	22.5	156/150L	X LINE ENERGY Z2	3PMSF	M+S	A	B	1	72		553939
315	70	22.5	156/150L	X MULTI ENERGY Z	3PMSF	M+S	B	B	1	72	X MULTI	798717
315	70	22.5	154/150L	X MULTI ENERGY D	3PMSF	M+S	C	B	1	72	X MULTI	258398
315	70	22.5	156/150L	X MULTI Z	3PMSF	M+S	C	B	1	72	X MULTI	719814
315	60	22.5	152/148L	X LINE ENERGY D	3PMSF	M+S	B	C	1	72		777127
315	60	22.5	154/148L	X MULTI Z	3PMSF	M+S	C	B	1	72	X MULTI	195307
315	60	22.5	152/148L	X MULTI D	3PMSF	M+S	D	C	2	74	X MULTI	716751
315	60	22.5	154/148L	X ENERGY XF		M+S	C	B	1	68		167684
315	60	22.5	154/148L	X LINE ENERGY Z		M+S	B	B	1	70		314674
315	45	22.5	147/145L	X MULTI D		M+S	D	C	2	75	X MULTI	931280
325	95	24	162/160K	X WORKS XD		M+S	D	B	1	72	X WORKS	477977
325	95	24	162/160K	X WORKS XZ		M+S	D	B	2	73	X WORKS	877887
325	85	16	137J	XML		M+S	Not Required By Legislation					109683
325	85	16	140K	X FORCE Z		M+S	Not Required By Legislation					881538
335	80	20	141K	XZL		M+S	Not Required By Legislation					110247
335	80	20	150K	X FORCE ZL		M+S	Not Required By Legislation					420813
355	50	22.5	156K	X MULTI Z	3PMSF	M+S					X MULTI	124164
355	50	22.5	156K	X LINE ENERGY Z		M+S	B	B	1	70		928196
365	85	20	164G	XZL		M+S	Not Required By Legislation					109374
365	80	20	152K	XZL		M+S	Not Required By Legislation					110081
385	65	22.5	158L	X MULTI F		M+S	C	B	1	69	X MULTI	354124
385	65	22.5	158L	XFN 2	3PMSF	M+S	D	C	2	72		233696
385	65	22.5	160J	XTE 3		M+S	C	B	2	71		162527
385	65	22.5	160K	X MULTI Z	3PMSF	M+S	B	B	1	71	X MULTI	412086



Michelin Truck New - 01 April 2020

SW	AR	RIM	Load / Speed	Tread Pattern	3PMSF	M+S	Fuel Efficiency	Wet Grip	Noise Class	Noise Level (dB)	Product Guarantee available *	CAI Code
385	65	22.5	160K	X LINE ENERGY F			B	B	1	69		130553
385	65	22.5	160K	X LINE ENERGY T			A	B	1	69		452658
385	65	22.5	160K	X MULTI T		M+S	B	B	1	69	X MULTI	112513
385	65	22.5	160K	X WORKS T		M+S	C	B	2	71	X WORKS	315021
385	65	22.5	160K	XZY 3		M+S	C	B	2	73		952153
385	65	22.5	164K	X MULTIWAY HD XZE		M+S	C	B	1	68	X MULTI	811008
385	55	22.5	160K	XFN 2	3PMSF	M+S	C	B	2	72		249702
385	55	22.5	160K	X LINE ENERGY F		M+S	A	B	1	70		481323
385	55	22.5	160K	X LINE ENERGY T			A	B	1	70		940464
385	55	22.5	160K	X MULTI F	3PMSF	M+S	B	B	2	72	X MULTI	483739
385	55	22.5	160K	X MULTI T2		M+S	B	B	1	70	X MULTI	988229
395	85	20	161G	XML			Not Required By Legislation					110510
395	85	20	168G	XZL		M+S	Not Required By Legislation					110013
395	85	20	168K	XZL 2		M+S	Not Required By Legislation					519331
425	65	22.5	165K	XTE2			C	B	1	69		110459
425	65	22.5	165K	XZY 3		M+S	C	B	2	73		985879
445	65	22.5	168G	XZL		M+S	Not Required By Legislation					110142
445	65	22.5	169K	XZY 3		M+S	D	B	2	73		540020
445	45	19.5	160J	XTA 2+ ENERGY		M+S	C	B	1	70		111884
445	45	19.5	160K	X LINE ENERGY T			A	C	2	71		283767
455	45	22.5	160J	X ONE MAXITRAILER +		M+S	C	B	1	67		624809
475	80	20	166G	XML		M+S	Not Required By Legislation					109723